




**TUBI PER CARPENTERIA
GESCHWEISSTE ROHRE FÜR
STAHLKONSTRUKTIONEN**

TUBI SALDATI PER CARPENTERIA GESCHWEISSTE ROHRE FÜR STAHLKONSTR.




EN 10025-90 UNI 7810 - 7811 DIN 2458

DN	Ø D	Spessore - Dicke	Kg/m
3/8"	16,75	1,8	0,66
1/2"	21,25	2,2	1,03
3/4"	26,75	2,5	1,50
1"	33,50	2,65	2,02
1 1/4"	42,40	3,0	2,91
1 1/2"	48,30	3,0	3,35
2"	60,30	3,0	4,24
2 1/2"	76,10	3,0	5,41
3"	88,90	3,0	6,36
3 1/2"	101,60	3,0	7,29
4"	114,30	3,0	8,23
4 1/2"	127,00	3,7	11,26
5"	139,70	3,7	12,41
5 1/2"	152,00	4,0	14,61
6"	168,00	4,0	16,18
7 1/2"	193,70	4,0	18,65
8"	219,00	5,0	26,40

Disponiamo della gamma completa di tubi zincati a caldo per impieghi vari.

Wir verfügen über eine große Auswahl an feuerverzinkte Rohre für mehrere Zwecke.






TUBI SALDATI TONDI - KREISFÖRMIGE ROHRE

da nastro laminato a caldo - von warmgewalztem Stahlband

EN 10025-90 UNI 7810 - 7811 DIN 2458

ØD	S	1,5	2	2,5	3	4	5	6	7	8	9	10
12	0,39											
14	0,46											
16	0,54	0,69										
18	0,61	0,79										
19	0,65	0,84										
20	0,68	0,89										
22	0,76	0,99										
25	0,87	1,13	1,39	1,63								
28	0,98	1,28	1,57	1,85								
30	1,05	1,38	1,70	2,00								
32	1,13	1,48	1,82	2,15								
35	1,24	1,63	2,00	2,37								
38	1,35	1,78	2,19	2,59	3,35							
40	1,42	1,87	2,31	2,74	3,55							
42	1,49	1,97	2,43	2,88	3,75							
45	1,61	2,12	2,62	3,11	4,04							
48	1,72	2,27	2,80	3,33	4,34	5,34						
50	1,79	2,37	2,93	3,48	4,54							
52	1,87	2,47	3,05	3,63	4,74							
55	1,98	2,61	3,24	3,85	5,03							
57	2,05	2,71	3,36	4,00	5,23							
60	2,16	2,86	3,56	4,21	5,52	6,78						
62	2,24	2,96	3,67	4,37	5,72	7,03						
63	2,27	3,01	3,73	4,44	5,82	7,17						
65	2,35	3,11	3,85	4,59	6,02	7,40						
70	2,53	3,35	4,16	4,96	6,51	8,01						
76	2,76	3,65	4,54	5,41	7,11	8,77	10,37					
80	2,90	3,85	4,78	5,70	7,50	9,25	10,95					
83	3,01	4,00	4,96	5,92	7,80	9,62	11,40					
89	3,23	4,29	5,33	6,36	8,38	10,35	12,27	14,14	15,96			
96		4,64	5,76	6,88	9,08	11,22	13,32	15,36				
102		4,93	6,13	7,32	9,67	11,96	14,21	16,40	18,47			
108		5,23	6,50	7,77	10,26	12,70	15,09	17,44				
114		5,52	6,87	8,21	10,90	13,44	15,99	18,48	20,97	23,37	25,72	
121		5,87	7,31	8,73	11,45	14,31	17,02	19,69				
127		6,17	7,68	9,17	12,13	15,04	17,90	20,72	23,48	26,19	28,85	
133			8,05	9,62	12,73	15,78	18,83	21,76				
139			8,42	10,06	13,32	16,53	19,69	22,80	25,98	29,01	31,99	
152			9,22	11,05	14,64	18,18	21,66	25,10	28,49	31,83	35,12	
159				11,54	15,69	18,99	22,64	26,24	29,79	33,29	36,75	
168,3			10,23	12,23	16,21	20,14	24,02	27,85	31,63	35,36	39,04	
177,8				12,93	17,14	21,31	25,42	29,49	35,50	37,47	41,36	
193,7				14,11	18,71	23,27	27,77	32,23	36,64	40,99	45,3	
219,1				15,99	21,22	26,40	31,53	36,61	41,65	46,63	51,57	
244,5					23,72	29,53	35,29	41,00	46,66	52,27	57,83	
273					26,54	33,05	39,51	45,92	52,28	58,60	64,86	
323,9					31,56	39,32	47,04	54,71	62,32	69,89	77,41	
339,7						41,27	49,38	57,43	65,44	73,40	81,31	
355,6						43,23	51,73	60,18	68,58	76,93	85,23	
406,4						49,50	59,25	68,95	78,60	88,20	97,76	
457,2							66,76	77,72	88,62	99,48	110,29	
508							74,28	86,49	98,65	110,75	122,81	

TUBI SALDATI QUADRI GESCHWEISSTE QUADRATROHRE



EN 10025-90 UNI 7810 - 7812 DIN 22395

Dimensioni Abmessungen A x A mm	Spessore - Dicke mm									
	1,5	2	3	4	5	6	7	8	9	10
	Peso - Gewicht Kg/m									
10 x 10	0,40									
12 x 12	0,50									
15 x 15	0,64	0,88								
20 x 20	0,87	1,13	1,60							
22 x 22	0,98	1,28	1,85							
25 x 25	1,11	1,44	2,07							
30 x 30	1,34	1,76	2,54	3,27						
35 x 35	1,58	2,07	3,01	4,04						
40 x 40	1,81	2,39	3,48	4,09	4,83					
45 x 45	2,05	2,70	3,96	4,72	5,61					
50 x 50	2,28	3,01	4,43	5,83	6,40					
60 x 60	2,75	3,64	5,37	7,03	7,97	10,34				
70 x 70	3,23	4,27	6,31	8,33	9,54	11,10	12,53			
80 x 80		4,90	7,25	9,55	11,11	12,99	14,72	16,36		
90 x 90		5,50	8,20	10,80	12,68	14,87	16,92			
100 x 100		6,15	9,14	12,06	14,26	16,76	19,12	21,39	22,99	24,89
110 x 110			9,84	12,89	15,83	18,64	21,32	23,90	25,81	28,03
120 x 120			11,00	14,54	17,40	20,53	23,52	26,41	28,64	31,17
140 x 140			12,72	16,76	20,52	24,98	27,91	31,43	34,29	37,45
150 x 150			13,86	18,35	22,11	26,19	30,11	33,95	37,12	40,59
160 x 160			14,61	19,27	23,66	28,04	32,31	36,46	39,94	43,73
175 x 175			16,00	21,22	26,04	30,90	35,61	40,23	44,18	48,44
180 x 180				21,78	26,80	31,81	36,70	41,48	45,60	50,01
200 x 200				24,29	29,94	35,58	41,10	46,51	51,25	56,29
220 x 220				26,81	33,12	39,39	45,50	51,53	56,90	62,57
250 x 250				30,57	37,79	45,00	52,09	59,07	65,38	71,99
260 x 260				31,76	39,41	46,94	54,29	61,58	68,20	75,13
300 x 300					45,64	54,42	63,08	71,63	79,51	87,69
325 x 325					49,57	59,13	68,58	77,91	86,57	95,54



TUBI SALDATI RETTANGOLARI GESCHWEISSTE RECHTECKROHRE

EN 10025-90 UNI 7810 - 7813 DIN 12395

Dimensioni Abmessungen A x B mm		Spessore - Dicke mm						Peso - Gewicht Kg/m	
		1,5	2	3	4	5	6	7	
15	x 10	0,52							
20	x 10	0,64	0,81						
20	x 15	0,75	0,97						
25	x 10	0,75	0,97						
25	x 15	0,87	1,13						
25	x 20	0,99	1,29						
30	x 10	0,87	1,13						
30	x 15	0,99	1,29						
30	x 20	1,11	1,44	2,07					
30	x 25	1,22	1,60	2,31					
35	x 10	0,99	1,29						
35	x 15	1,11	1,44	2,07					
35	x 20	1,22	1,60	2,31					
35	x 25	1,34	1,76	2,54					
40	x 10	1,11	1,44						
40	x 15	1,22	1,60	2,31					
40	x 20	1,34	1,76	2,54	3,35				
40	x 25	1,46	1,91	2,78	3,75				
40	x 30	1,58	2,07	3,01	4,04				
45	x 10	1,22	1,60	2,31					
45	x 15	1,34	1,76	2,54					
45	x 20	1,46	1,91	2,78	3,75				
45	x 25	1,58	2,07	3,01	4,04				
45	x 30	1,69	2,23	3,25	4,34				
50	x 10	1,34	1,76	2,54					
50	x 15	1,46	1,92	2,78					
50	x 20	1,58	2,07	3,01					
50	x 25	1,69	2,23	3,25	4,34				
50	x 30	1,81	2,39	3,48	4,52				
50	x 40	2,05	2,70	3,95	5,15				
60	x 10	1,58	2,07	3,01					
60	x 15	1,69	2,23	3,25					
60	x 20	1,81	2,39	3,48	4,63				
60	x 25	1,93	2,54	3,74	4,93				
60	x 30	2,05	2,70	3,95	5,07				
60	x 40	2,28	3,00	4,43	5,35	6,39			
60	x 50	2,52	3,33	4,90	5,98	8,02			
70	x 20	2,05	2,70	3,95	5,23				
70	x 25	2,17	2,86	4,19					
70	x 30	2,28	3,01	4,43	5,35				
70	x 40	2,52	3,33	4,90	5,98	8,02			

TUBI SALDATI RETTANGOLARI GESCHWEISSTE RECHTECKROHRE

EN 10025-90 UNI 7810 - 7812 DIN 22395




Dimensioni Abmessungen A x A mm	Spessore - Dicke mm										
	1,5	2	3	4	5	6	7	8	9	10	
	Peso - Gewicht Kg/m										
70 x 50	2,76	3,64	5,37	7,05	7,97	9,21	10,34				
80 x 15	2,16	2,86									
80 x 20	2,28	3,01	4,43								
80 x 30	2,52	3,33	4,90	5,98							
80 x 40	2,76	3,64	5,37	7,05	7,97	9,21	10,34				
80 x 50	2,99	3,96	5,84	7,66	9,62						
80 x 60	3,23	4,27	6,31	7,86	9,54	11,10	12,54				
90 x 30	2,76	3,64	5,37	7,10							
90 x 40	2,99	3,96	5,84	7,66	9,62	11,40					
90 x 50	3,23	4,27	6,31	7,86	10,36	12,28					
90 x 60		4,58	6,78	8,92	11,10	13,17					
100 x 20	2,76	3,64	5,37	7,10							
100 x 30	3,00	3,95	5,84	7,66							
100 x 40	3,22	4,27	6,31	7,86	9,54	11,10	12,54				
100 x 50	3,46	4,58	6,78	8,92	11,40	12,04	13,64				
100 x 60		4,90	7,25	9,55	11,77	12,98	14,74				
100 x 70		5,21	7,72	10,17	12,56	13,93					
100 x 80		5,53	8,19	10,80	13,35	14,87	16,94				
110 x 50		4,90	7,25	9,55	11,77	12,98	14,74				
120 x 30		4,59	6,81	9,55	11,77	12,98	14,74				
120 x 40		4,90	7,25	9,55	11,77	12,98	14,74				
120 x 60		5,53	8,19	10,80	13,35	14,87	16,94				
120 x 80		6,15	9,14	12,06	14,91	16,76	19,14	21,39			
120 x 100			9,90	12,99	15,81	18,62	21,32				
140 x 40		5,53	8,19	10,80	13,35	14,87					
140 x 50		5,84	8,67	11,43	14,31	17,02	19,60				
140 x 60		6,15	9,14	12,06	14,91	16,76	19,14				
140 x 70		6,47	9,61	12,27	15,04	17,70	21,76	23,6			
140 x 80			9,90	12,99	15,81	18,62	21,32				
150 x 30		5,50	8,20	10,80	13,35						
150 x 40		5,87	8,73	12,27	15,04	17,70					
150 x 50		6,16	9,14	12,06	14,91	16,76	19,14				
150 x 100			11,49	15,20	18,84	21,47	24,90				
160 x 40		6,07	8,96	11,73	14,24	16,74					
160 x 60			9,90	12,99	15,81	18,62	21,32				
160 x 80			11,02	14,57	18,05	20,53	23,80	26,41			
180 x 60			11,02	14,57	18,05	20,53	23,80				
180 x 80			11,78	15,50	18,95	22,39	25,71	28,92			
200 x 100			13,85	18,34	22,09	26,19	30,48	33,95	37,12	41,59	
250 x 100			16,02	21,16	26,01	30,90	35,65	40,23	44,18	48,44	
250 x 150				24,29	29,94	35,58	41,10	46,51	51,25	56,29	
300 x 100				24,29	29,94	35,58	41,10	46,51			
300 x 150			20,58	27,44	33,90	40,34	46,65	52,79			
300 x 200				30,57	37,79	45,00	52,09	59,07			
400 x 200					45,64	54,42	63,08	71,63			
400 x 250					49,57	59,13	68,58	77,91			

TUBOLARI A SEZIONI VARIE PROFILROHRE UNTERSCHIEDLICHER QUERSCHNITTE


OVALE - OVALE ROHRE

A	30	36	40	50	60	31	45	50	60	80
B	15	18	20	25	30	16	20	10	20	45
1,5	0,86	1,05	1,12	1,50	1,87	0,90	1,32	1,29	1,63	
2	1,13	1,38	1,47	1,95	2,47	1,19			2,16	
3				2,86	3,63					
4										6,68




TRIANGOLO - DREIECKIG

A	30	40	60	60
B	15	22	38	55
1,5	0,86	1,24		
2	1,13	1,63		
3			3,73	4,29




ELLITTICO - ELLIPTISCH

A	30	40
B	15	20
1,5	0,83	1,09
2	1,08	1,42












SEMIOVALE - HALBOVAL

A	30	40	102	80
B	15	20	32	40
1,5	0,97	1,23		2,59
2	1,27	1,62	4,06	



Fornibile a richiesta. - Auf Anfrage lieferbar.

TUBI PER SERRAMENTI SPESSORE MM. 1,5 ANSCHLAGROHRE FÜR TÜREN UND FENSTER

 <p>SF 1/B Kg/m 2,15</p> <p>Dimensions: 44 (top width), 50 (left height), 30 (bottom left width), 14 (bottom right width), 47 (right height), 3 (flange thickness).</p>	 <p>SF 2/B Kg/m 2,52</p> <p>Dimensions: 60 (top width), 47 (left height), 15 (bottom left width), 30 (bottom middle width), 15 (bottom right width), 50 (right height), 3 (flange thickness).</p>	 <p>SF 3/B Kg/m 2,52</p> <p>Dimensions: 58 (top width), 50 (left height), 44 (bottom left width), 14 (bottom right width), 47 (right height), 3 (flange thickness).</p>
 <p>1 A Kg/m 1,72</p> <p>Dimensions: 37 (top width), 38 (left height), 25 (bottom left width), 12 (bottom right width), 35 (right height), 3 (flange thickness).</p>	 <p>1 B Kg/m 2,10</p> <p>Dimensions: 55 (top width), 38 (left height), 15 (bottom left width), 25 (bottom middle width), 15 (bottom right width), 35 (right height), 3 (flange thickness).</p>	 <p>1 C Kg/m 1,99</p> <p>Dimensions: 49 (top width), 38 (left height), 37 (bottom left width), 12 (bottom right width), 35 (right height), 3 (flange thickness).</p>
 <p>11 A Kg/m 1,34</p> <p>Dimensions: 32 (top width), 28 (left height), 22 (bottom left width), 10 (bottom right width), 25 (right height), 3 (flange thickness).</p>	 <p>11 B Kg/m 1,57</p> <p>Dimensions: 42 (top width), 28 (left height), 10 (bottom left width), 22 (bottom middle width), 10 (bottom right width), 25 (right height), 3 (flange thickness).</p>	 <p>11 C Kg/m 1,57</p> <p>Dimensions: 42 (top width), 28 (left height), 10 (bottom left width), 32 (bottom middle width), 25 (right height), 3 (flange thickness).</p>

Altri profili sono fornibili a richiesta.

Andere Profile sind auf Anfrage lieferbar.